PRINTED: 10/28/2021 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING			(X3) DATE SURVEY COMPLETED	
		435078	B. WING 10.		10/	15/2021	
NAME OF PROVIDER OR SUPPLIER  AVERA EUREKA HEALTH CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE  202 J AVENUE  EUREKA, SD 57437				
(X4) ID PREFIX TAG	EFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL		ID PREFIX TAG	PREFIX (EACH CORRECTIVE ACTION SHOULD			(X5) COMPLETION DATE
F 000	INITIAL COMMENTS		F 0	000			
	was conducted by the of Health Office of Lic 10/15/21. Avera Eure found not in complian infection control regul Avera Eureka Health compliance with 42 C rights and 42 CFR Paregulations F550, F56 and F886.	Care Center was found in FR Part 483.10 resident at 483.80 infection control 62, F563, F583, F882, F885, Emergency Preparedness					
	Department of Health Certification on 10/15. Care Center was four CFR Part 482, Subpa related to E-0024(b)(6	Office of Licensure and /21. Avera Eureka Health and in compliance with 42 rt B, Subsection 483.73					
	development and trar diseases and infection §483.80(a) Infection p program.	(2)(4)(e)(f)  Introlution  Intr	F8	880	FOR ALL NURSING DEPARTMENT STAFF (RN'CNA'S) MANDATORY HAND HYGIENE AND GL COMPETENCY TO BE COMPLETED BY DIREC NURSING AND DESIGNATED INFECTION CON NURSE DESIGNEES VIA ONE TO ONE COMPE WITH SUCCESSFUL RETURN DEMONSTRATIC THIS WILL BE COMPLETED BY 11/11/21. THE COMPETENCY WILL INCLUDE HAND HYGIENE POLICY AND GLOVE USE POLICY W REVIEW OF WHEN TO PERFORM HAND HYGIE DIRECTOR OF NURSING WILL CONDUCT CNA DEPARTMENT MEETING ON 11/8/21 WITH REV HAND HYGIENE/GLOVE USE AND APPROPRIA TIMES OF HAND WASHING AS PART OF AN IN CONTROL PRESENTATION. DIRECTOR OF NURSING AND INFECTION CON NURSE DESIGNEE WILL CONDUCT AUDITING HAND HYGIENE AND GLOVE USE 2 X PER WE 4 WEEKS TO ENSURE COMPLIANCE.	TOR OF TROL TROL TROL TROL TROL TROL TROL	11/11/21
LABORATORY	DIRECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Carmen Weber

Administrator

11/4/21

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

FORM CMS-2567(02-99) Previous Versions Obsolete

Event ID: 3MCS11

SD DOHLOLD

Facility ID: 0064

If continuation sheet Page 1 of 5

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING		(X3) DATE SURVEY COMPLETED		
		435078	B, WING			10/15/2021	
NAME OF PROVIDER OR SUPPLIER  AVERA EUREKA HEALTH CARE CENTER				STREET ADDRESS, CITY, STATE, ZIP CODE  202 J AVENUE  EUREKA, SD 57437			
(X4) ID PREFIX TAG	(EACH DEFICIENCY MUST BE PRECEDED BY FULL				PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD B CROSS-REFERENCED TO THE APPROPRIA DEFICIENCY)		(X5) COMPLETION DATE
F 880	a minimum, the follow §483.80(a)(1) A systereporting, investigatin and communicable distaff, volunteers, visite providing services unarrangement based used used to conducted according accepted national states §483.80(a)(2) Written procedures for the probut are not limited to: (i) A system of surveil possible communicable infections before they persons in the facility; (ii) When and to whore communicable disease reported; (iii) Standard and trant to be followed to prevent (iv) When and how ison resident; including but (A) The type and durate depending upon the ininvolved, and (B) A requirement that least restrictive possible circumstances. (v) The circumstances must prohibit employed disease or infected skeep contact with residents contact will transmit the state of the state	IPCP) that must include, at ring elements:  Im for preventing, identifying, g, and controlling infections seases for all residents, ors, and other individuals der a contractual pon the facility assessment to §483.70(e) and following indards;  standards, policies, and orgam, which must include, lance designed to identify le diseases or can spread to other  In possible incidents of e or infections should be smission-based precautions ent spread of infections; lation should be used for a transit limited to: the infectious agent or organism the isolation should be the ole for the resident under the sunder which the facility ses with a communicable in lesions from direct or their food, if direct	F 8		AFTER 4 WEEKS OF AUDITING IF EXPECTATION ARE BEING MET, MONITORING WILL REDUCE TO WEEKLY AUDITS X 1 MONTH FOLLOWED BY MA AUDITS THEREAFTER PER REGULAR FACILITY SURVEILLANCE.  RESULTS WILL BE REPORTED TO QUALITY ASS PERFORMANCE IMPROVEMENT COMMITTEE BUTTON OF NURSING QUARTERLY UNTIL FADEMONSTRATES SUSTAINED COMPLIANCE.  DIRECTOR OF NURSING MET WITH SOUTH DAY QUALITY IMPROVEMENT ORGANIZATION, LORI ON 11/2/21 REGARDING THE DIRECTED PLAN CORRECTION FOR F880. DISCUSSED THE 5 WOROT CAUSE ANALYSIS AND DISCUSSED TOO TRAINING RESOURCES TO ASSIST IN ACHIEVIT COMPLIANCE RELATED TO TAG F880. FACILIT UTILIZE TRAINING RESOURCES AT CNA MEETION 11/8/21.	SURANCE Y THE CILITY (OTA HINTZ, )F HYS LS AND NG Y WILL	

DF DEFICIENCIES CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1.		COMPLETED
	435078	B. WING		10/15/2021
NAME OF PROVIDER OR SUPPLIER  AVERA EUREKA HEALTH CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 202 J AVENUE EUREKA, SD 57437	
(EACH DEFICIENC	Y MUST BE PRECEDED BY FULL	ID PREFII TAG	ADAGO DEFERENCES TO THE	SHOULD BE COMPLETION
SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  Continued From page 2 by staff involved in direct resident contact.  §483.80(a)(4) A system for recording incidents identified under the facility's IPCP and the corrective actions taken by the facility.  §483.80(e) Linens. Personnel must handle, store, process, and transport linens so as to prevent the spread of infection.  §483.80(f) Annual review. The facility will conduct an annual review of its IPCP and update their program, as necessary. This REQUIREMENT is not met as evidenced by: Surveyor: 41895 Based on observation, interview, and policy review, the provider failed to ensure infection control techniques were maintained by one of one certified nursing assistant (CNA) (B) during one of one observed resident's (1) bath. Findings include:  1. Observation on 10/15/21 at 10:54 a.m. of CNA B while assisting resident 1 with her bath revealed she: *Had entered resident 1's room, gathered clothing and bathing items touching several surfaces in the room, and pushed resident 1 out of the room in her wheelchair (w/c)She had not performed hand hygiene. *Pushed resident 1 into the whirlpool room and		F	880	
pull-up and assisted i	ner to sit in the bath chair.			
	ROVIDER OR SUPPLIER  SUMMARY ST.  (EACH DEFICIENC REGULATORY OR I  Continued From page by staff involved in die  §483.80(a)(4) A syste identified under the fa corrective actions tak  §483.80(e) Linens. Personnel must hand transport linens so as infection.  §483.80(f) Annual rev The facility will condu IPCP and update their This REQUIREMENT by: Surveyor: 41895 Based on observation review, the provider fa control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques we certified nursing assis of one observed residen control techniques certified nursing assis of one observed residen control techniques certified nursing assis of one observed residen control techniques certified on approved assisted residen control techniques certified on assisted to control techniques certified on a control technique certified on a control technique control techniques co	ROVIDER OR SUPPLIER  SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  Continued From page 2 by staff involved in direct resident contact.  \$483.80(a)(4) A system for recording incidents identified under the facility's IPCP and the corrective actions taken by the facility.  \$483.80(e) Linens. Personnel must handle, store, process, and transport linens so as to prevent the spread of infection.  \$483.80(f) Annual review. The facility will conduct an annual review of its IPCP and update their program, as necessary. This REQUIREMENT is not met as evidenced by: Surveyor: 41895 Based on observation, interview, and policy review, the provider failed to ensure infection control techniques were maintained by one of one certified nursing assistant (CNA) (B) during one of one observed resident's (1) bath. Findings include:  1. Observation on 10/15/21 at 10:54 a.m. of CNA B while assisting resident 1 with her bath revealed she:  "Had entered resident 1's room, gathered clothing and bathing items touching several surfaces in the room, and pushed resident 1 out of the room in her wheelchair (w/c)She had not performed hand hygiene.	ROVIDER OR SUPPLIER  IREKA HEALTH CARE CENTER  SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  Continued From page 2 by staff involved in direct resident contact.  \$483.80(a)(4) A system for recording incidents identified under the facility's IPCP and the corrective actions taken by the facility.  \$483.80(e) Linens. Personnel must handle, store, process, and transport linens so as to prevent the spread of infection.  \$483.80(f) Annual review. The facility will conduct an annual review of its IPCP and update their program, as necessary. This REQUIREMENT is not met as evidenced by: Surveyor: 41895 Based on observation, interview, and policy review, the provider failed to ensure infection control techniques were maintained by one of one certified nursing assistant (CNA) (B) during one of one observed resident's (1) bath. Findings include:  1. Observation on 10/15/21 at 10:54 a.m. of CNA B while assisting resident 1 with her bath revealed she:  "Had entered resident 1's room, gathered clothing and bathing items touching several surfaces in the room, and pushed resident 1 out of the room in her wheelchair (w/c).  -She had not performed hand hygiene.  "Pushed resident 1 into the whirlpool room and without performing hand hygiene she: -Put on a pair of glovesAssisted resident 1's pants and incontinence pull-up and assisted her to sit in the bath chair.	CORRECTION    IDENTIFICATION NUMBER:   A. BUILDING

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(×	(X3) DATE SURVEY COMPLETED	
	<b>435078</b> B. WIN		B. WING_	<del></del>		10/15/2021	
NAME OF PROVIDER OR SUPPLIER  AVERA EUREKA HEALTH CARE CENTER				STREET ADDRESS, CITY, STATE, ZIP CO 202 J AVENUE EUREKA, SD 57437	DDE		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PROVIDER'S PLAN OF CORRECTI PREFIX (EACH CORRECTIVE ACTION SHOUL TAG CROSS-REFERENCED TO THE APPRO DEFICIENCY)		ON SHOULD BE HE APPROPRIATE	(X5) COMPLETION DATE	
F 880	remover her shirt, bra-Used the controller or resident into the airPut on a pair of glove careRemoved the gloves the bathtubPicked up a pen and resident 1's weightPicked up a clean too of the lift chair she ha the bathtubPut on a pair of glove wash her face and the areaChanged her gloves resident with the bath Interview on 10/15/21 regarding the above of "Usually carried hand pocket but had set it or room. *Agreed she had miss wash her hands. *Agreed she had been hand hygiene and she hands: -When entering and elegeore and after glove-When moving from all -After touching reside Interview on 10/15/21	and assisted resident to and watch. In the bath chair to raise the est and performed perineal and pushed the resident to paper and wrote down well and set it on the handle divided to push the chair to est, assisted resident 1 to en washed her perineal and continued to assist and continued to assist and the shelf in the whirlpool sed several opportunities to the educated on appropriate ould have washed her exiting a residents room. The shelf in	F	380			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		LE CONSTRUCTION	COMPLETED
435078		B. WING		10/15/2021	
NAME OF PROVIDER OR SUPPLIER  AVERA EUREKA HEALTH CARE CENTER				STREET ADDRESS, CITY, STATE, ZIP CODE 202 J AVENUE EUREKA, SD 57437	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APPR DEFICIENCY)	ULD BE COMPLETION
F 880	when: -Entering and exiting -Before and after glov -Moving from a dirty t *Provider had done h with all staff about on  Review of the provide Washing policy revea *"Staff will use proper spread of pathogens.	rm hand hygiene. taff to perform hand hygiene a residents room. we use. ask to a clean task. and hygiene competencies e year ago. er's April 2021 Hand aled: r handwashing to prevent the	F 88		